

Matsuda S, Matsumoto H, Furubayashi T, Hanajima R, Tsuji S, Ugawa Y, Terao Y	The 3-second rule in hereditary pure cerebellar ataxia: a synchronized tapping study. Plos One (in press)
Murakami T, Kell C, Restle J, Ugawa Y, Ziemann U	Left dorsal speech stream components and their contribution to phonological processing. J Neurosci (in press)
Kashihara K, Kondo T, Mizuno Y, Kikuchi S, Kuno S, Hasegawa K, Hattori N, Mochizuki H, Mori H, Murata M, Nomoto M, Takahashi R, Terada A, Tsuboi Y, Ugawa Y, Yamamoto M, Yokochi F, Yoshii F, Stebbins GT, Tiley BC, Luo S, Wong L, Lapelle NR, Goetz CG, MDS-UPDRS Japanese Validation Study Group	Official Japanese Version of the International Parkinson and Movement Disorder Society–Unified Parkinson’s Disease Rating Scale: Validation Against the Original English Version. Mov Disord Clin Pract 1: 200-212, 2014, doi:10.1002/mdc3.12058
Laakso I, Matsumoto H, Hirata A, Terao Y, Hanajima R, Ugawa Y	Multi-scale simulations predict responses to non-invasive nerve root stimulation. Journal of Neural Engineering J. Neural Eng. 11 (2014) 056013 (9pp), doi:10.1088/1741-2560/11/5/056013
Sasada S, Kato K, Kadowaki S, Groiss SJ, Ugawa Y, Komiyama T, Nishimura Y	Volitional walking via upper limb muscle-controlled stimulation of the lumbar locomotion center in man. J Neurosci, 2014 • 34(33):11131–11142
Murakami T, Morimoto J, Hoshi A, Nakatani-Enomoto S, Ichikawa K, Tasaki K, Ogura R, Toyoshima Y, Kakita A, Saito K, Takahashi H, Ugawa Y	Cerebral amyloid angiopathy-related leukoencephalopathy: successful steroid treatment for neurological deficits and subcortical white matter lesions partly involving the cortical gray matter. Neurol Clin Neurosci (ip press)
Tsutsumi R, Hanajima R, Terao Y, Shirota Y, Ohminami S, Shimizu T, Tanaka N, Ugawa Y	Effects of the motor cortical quadripulse transcranial magnetic stimulation (QPS) on the contralateral motor cortex and interhemispheric interactions. J Neurophysiol 111: 26-35, 2014 doi: 10.1152/jn.00515.2013. Epub 2013 Oct 9.
Ilkka Laakso, Akimasa Hirata and Yoshikazu Ugawa	Effects of coil orientation on the electric field induced by TMS over the hand motor area. Phys Med Biol 2014 Jan 6;59(1):203-18 doi:10.1088/0031-9155/59/1/203
T Shimizu, Y Fujimaki, S Nakatani-Enomoto, S Matsubara, K Watabe, PM Rossini, Y Ugawa	Complex fasciculation potentials and survival in amyotrophic lateral sclerosis. Clin Neurophysiol 125: 1059-1064, 2014
Hanajima R, Terao Y, Shirota Y, Ohminami S, Tsutsumi R, Shimizu T, Tanaka N, Okabe S, Tsuji S, Ugawa Y	Triad-conditioning transcranial magnetic stimulation in Parkinson's disease. Brain Stimul. 7(1):74-9, 2014
Matsumoto H, Hahida H, Ugawa Y	Unilateral asterixis due to an internal capsule lesion. Intern Med. 2014;53(4):341-2.
Terao Y, Fukuda H, Ugawa Y, Hikosaka O	New perspectives on the pathophysiology of Parkinson’s disease as assessed by saccade performance: A clinical review. Clin Neurophysiol, 124 (8), 1491-1506, 2013

Grimaldei G, Argyropoulos GP, Boeheinger A, Celnik P, Edwards MJ, Ferrucci R, Gales KJM, Groiss SJ, Hiraoka K, Kassavetis P, Lesage E, Manto M, Miall RC, Priori A, Sadnicka A, Ugawa Y, Ziemann U	Non-invasive cerebellar stimulation - a consensus paper. <i>Cerebellum</i> , 2014 Feb;13(1):121-38. doi: 10.1007/s12311-013-0514-7
Nakatani-Enomoto S, Furubayashi T, Ushiyama A, Groiss SJ, Ueshima K, Sokejima S, Simba AY, Wake K, Watanabe S, Nishikawa M, Miyawaki K, Taki M, Ugawa Y	Effects of electromagnetic fields emitted from W-CDMA-like mobile phones on sleep in humans. <i>Bioelectromagnetics</i> . 2013 Dec;34(8):589-98. doi: 10.1002/bem.21809. Epub 2013 Aug 22.
Murakami T, Ugawa Y, Ziemann U	Utility of TMS to understand the neurobiology of speech. <i>Frontiers in Psychology</i> , July 2013 Volume 4 Article 446, doi:10.3389/fpsyg.2013.00446, 15 July, 2013
Matsumoto H, Hanajima R, Terao Y, Ugawa Y	Magnetic-motor-root stimulation: Review. <i>Clin Neurophysiol</i> 124: 1055-1067, 2013
Matsumoto H, Konomi Y, Fujii K, Hanajima R, Terao Y, Ugawa Y	A conduction block in sciatic nerves can be detected by magnetic motor root stimulation. <i>J Neurol Sci</i> 331(1-2):174-6. doi: 10.1016/j.jns.2013.06.005. Epub 2013 Jun 25
Matsumoto H, Terao Y, Ugawa Y	Ocular paradoxical movement and severity of Parkinson's disease. <i>Brain</i> (in press)
Watanabe T, Hanajima R, Shirota Y, Ohminami S, Tsutsumi R, Terao Y, Ugawa Y, Hirose S, Miyashita Y, Konishi S, Kunimatsu A, Ohtomo K	Bidirectional effects on inter-hemispheric resting-state functional connectivity induced by excitatory and inhibitory repetitive transcranial magnetic stimulation. <i>Hum Brain Mapp</i> . 2014 May;35(5):1896-905.
Terao Y, Fukuda H, Shirota Y, Yugeta A, Yoshida M, Suzuki M, Hanajima R, Nomura Y, Segawa M, Tsuji S, Ugawa Y	Deterioration of horizontal saccades in progressive supranuclear palsy. <i>Clin Neurophysiol</i> 124: 354-363, 2013
Furubayashi T, Mochizuki H, Terao Y, Arai N, Hanajima R, Hamada M, Matsumoto H, Nakatani-Enomoto S, Okabe S, Yugeta A, Inomata-Terada S, Ugawa Y.	Cortical hemoglobin concentration changes underneath the coil after single-pulse transcranial magnetic stimulation: A near-infrared spectroscopy (NIRS) study. <i>J Neurophysiol</i> . 109: 1626-1673, 2013
Matsumoto H, Konomi Y, Shimizu T, Okabe S, Shirota Y, Hanajima R, Terao Y, Ugawa Y.	Aging influences central motor conduction less than peripheral motor conduction: A transcranial magnetic stimulation study. <i>Muscle Nerve</i> . 2012 Dec;46(6):926-31
Matsumoto H, Ugawa Y	Neurophysiological analyses of asterixis utilizing innovative approaches. <i>Clin Neurophysiol</i> . 2012 Sep;123(9):1695-6
Shirota Y, Ohtsu H, Hamada M, Enomoto H, Ugawa Y	Supplementary motor area stimulation for Parkinson disease: a randomized controlled study. <i>Neurology</i> 80: 1400-1405, 2013
Matsumoto H, Tokushige S, Hashida H, Hanajima R, Terao Y, Ugawa Y	Focal lesion in upper part of brachial plexus can be detected by magnetic cervical motor root stimulation. <i>Brain Stimul</i> . 2012 Oct 9. doi:pii: S1935-861X(12)00181-7

Shirota Y, Hamada M, Terao Y, Ohminami S, Tsutsumi R, Ugawa Y, Hanajima R.	Increased primary motor cortical excitability by a single-pulse transcranial magnetic stimulation over the supplementary motor area. <i>Exp Brain Res.</i> 2012 Jun;219: 339-49.
Ugawa Y	Motor cortical plasticity in basal ganglia disorders or movement disorders (editorial). <i>Basal Ganglia</i> 2:119-121, 2012
Nakatani-Enomoto S, Hanajima R, Hamada M, Terao Y, Matusmoto H, Shirota Y, Okabe S, Hirose M, Nakamura K, Fusubayashi T, Kobayashi S, Mochizuki H, Enomoto H, Ugawa Y	Bidirectional modulation of sensory cortical excitability by quadripulse magnetic stimulation (QPS) in humans. <i>Clin Neurophysiol</i> 123: 1415-1421, 2012
Hoshi A, Yamamoto T, Shimizu K, Nishizawa M, Kakita A, Tkahashi H, Ugawa Y	Characteristics of aquaporin expression surrounding senile plaques and cerebral amyloid angiopathy in Alzheimer's disease. <i>J Neuropath Exp Neurol</i> 71: 750-759, 2012
Tsutsumi R, Shirota Y, Matsumoto H, Ohminami S, Terao Y, Ugawa Y, Hanajima R	Conditioning intensity dependent interaction between short-latency interhemispheric inhibition and short-latency afferent inhibition. <i>J Neurophysiol</i> 2012 Aug;108(4):1130-7
Sugiura Y, Ogiwara I, Hoshi A, Yamakawa K, Ugawa Y	Different degrees of loss of function between GEFS+ and SME1 NaV1.1 missense mutants at the same residue induced by rescuable folding defects. <i>Epilepsia</i> 53(6): e111-e114, 2012
Matsumoto H, Konoma Y, Shimizu T, Okabe S, Shirota Y, Hanajima R, Terao Y, Ugawa Y	Body height and age affect central motor conduction less than peripheral motor conduction: a TMS study. <i>Muscle and Nerve</i> 46: 932-936, 2012
Hoshi A, Yamamoto T, Kikuchi S, Soeda T, Shimizu K, Ugawa Y	Aquaporin-4 expression in distal myopathy with rimmed vacuoles. <i>BMC Neurology</i> 2012 12:22. doi:10.1186/1471-2377-12-22
Higashihara M, Sonoo M, Imafuku I, Fukutake T, Kamakura K, Inoue K, Hatanaka Y, Shimizu T, Tsuji S, Ugawa Y	Fasciculation potentials in amyotrophic lateral sclerosis and the diagnostic yield of the Awaji algorithm. <i>Muscle and Nerve</i> 45: 175-182, 2012
Terao Y, Furubayashi T, Fukuda H, Hanajima R, Yugeta A, Hamada M, Okabe S, Oataviana F, Ugawa Y	Frontal cortical regions controlling small and large amplitude saccades - A TMS study. <i>Basal ganglia</i> 1: 221-229, 2011
Matusmoto H, Hanajima R, Terao Y, Hashida H, Ugawa Y	Neurophysiological analysis of cauda equina in POEMS syndrome. <i>Neurol Sci.</i> 2012 Jan 19, PMID: 22258365
Tsutsumi R, Hanajima R, Hamada M, Shirota Y, Matsumoto H, Terao Y, Ohminami S, Yamagawa Y, Shimada H, Tsuji s, Ugawa Y	Reduced Interhemispheric Inhibition in Mild Cognitive Impairment. <i>Exp Brain Res</i> 218: 21-26, 2012
Groiss SJ, Mochizuki H, Furubayashi T, Kobayashi S, Nakatani-Enomoto S, Nakamura K, Ugawa Y	Quadri-pulse stimulation induces stimulation frequency dependent cortical hemoglobin concentration changes within the ipsilateral motor cortical network. <i>Brain Stimulation</i> 6: 40-48, 2013

Matsumoto H, Terao Y, Yugeta A, Fukuda H, Emoto M, Furubayashi T, Okano T, Hanajima R, Ugawa Y.	Where do neurologists look when viewing brain CT images? An eye-tracking study involving stroke cases. PLoS One. 2011;6(12):e28928. doi: 10.1371/journal.pone.0028928. Epub 2011 Dec 12
Matsuda N, Kobayashi S, Tanji Y, Hasegawa a, Tase C, Ugawa Y	WIDESPREAD MUSCLE INVOLVEMENT IN CRITICAL ILLNESS MYOPATHY REVEALED BY MRI. Muscle & Nerve 44: 842-844, 2011
Arai N, Muller-Dahlhaus F, Murakami T, Bliem B, Lu NK, Ugawa Y, Ziemann U	State-dependent and timing-dependent bidirectional associative plasticity in the human SMA-M1 network. J Neurosci 2011 Oct 26;31(43):15376-83
Hirose M, Mochizuki H, Tanji Y, Nakamura K, Nakatani-Enomoto S, Enomoto H, Nishizawa M, Ugawa Y	On-line effects of quadripulse transcranial magnetic stimulation (QPS) on the contralateral hemisphere studied with somatosensory evoked potentials and near infrared spectroscopy. Exp Brain Res. 2011 Oct;214(4):577-586
Hanajima R, Terao Y, Shirota Y, Ohminami S, Nakatani-Enomoto S, Okabe S, Matsumoto H, Tsutsumi R, Ugawa Y	Short interval intracortical inhibition in Parkinson's disease using anterior-posterior directed currents. Exp Brain Res 214: 317-321, 2011
Kikuchi S, Mochizuki H, Moriya A, Nkatani-Enomoto S, Nakamura K, Hanajima R, Ugawa Y	Ataxic hemiparesis:neurophysiological analysis by cerebellar transcranial magnetic stimulation. Cerebellum 2012, 11(1):259-63
Tsutsumi R, Shirota Y, Ohminami S, Terao Y, Ugawa Y, Hanajima R.	Conditioning intensity-dependent interaction between short-latency interhemispheric inhibition and short-latency afferent inhibition. J Neurophysiol. 2012 Aug;108(4):1130-7
Hamada M, Ugawa Y	Quadripulse stimulation – A new patterned rTMS. Restorative Neurology and Neuroscience 28 (2010) 419–424
Nakamura K, Kadowaki S, Matsuda N, Ugawa Y	Isolated lateropulsion produced by a paramedian midbrain infarction. Intern Med. 2011;50(17):1863
Shirota Y, Hanajima R, Hamada M, Terao Y, Matsumoto H, Tsutsumi R, Ohminami S, Furubayashi T, Ugawa Y	Inter-individual variation in the efficient stimulation site for magnetic brainstem stimulation. Clin Neurophysiol 122: 2044-2048, 2011
Terao Y, Fukuda H, Yugeta A, Hikosaka O, Nomure Y, Segawa M , Hanajima R, Ugawa Y	Initiation and Inhibitory Control of Saccades with the Progression of Parkinson's Disease -Changes in three major drives converging on the superior colliculus- Neuropsychologia 49: 1794-1806, 2011

Mochizuki H, Ugawa Y	Disappearance of Essential Tremor After Stroke: Which fiber of cerebellar loops is involved in posterior limb of the internal capsule? <i>Mov Disord</i> (in press)
Matsumoto H, Terao Y, Furubayashi T, Yugeta A, Fukuda H, Emoto M, Hanajima R, Ugawa Y	Small saccades restrict visual scanning area in Parkinson's disease. <i>Mov Disord</i> 26: 1619-1626, 2011
Hoshi A, Yamamoto T, Shimizu K, Sugiura Y, Ugawa Y	Chemical preconditioning-induced reactive astrocytosis contributes to the reduction of post-ischemic edema through aquaporin-4 downregulation. <i>Experimental Neurology</i> 227 (2011) 89–95
Hanajima R, Terao Y, Nakatani-Enomoto S, Okabe S, Shirota Y, Ohminami S, Matsumoto H, Tsuji S, Ugawa Y	Triad stimulation frequency for cortical facilitation in cortical myoclonus. <i>Mov Disord</i> 2011 Mar;26(4):685-90
Nakatani-Enomoto S, Hanajima R, Hamada M, Mochizuki H, Kobayashi S, Enomoto H, Sugiura Y, Matsumoto H, Furubayashi T, Terao Y, Sato F, Ugawa Y	Some evidence supporting the safety of quadri-pulse stimulation (QPS). <i>Brain Stimulation</i> , 2011 ;4: 303-305
Nakamura K, Enomoto H, Hanajima R, Hamada M, Shimizu E, Kawamura Y, Sasaki T, Matsuzawa D, Sutoh C, Shirota Y, Terao Y, Ugawa Y	Quadri-pulse stimulation (QPS) induced LTP/LTD was not affected by Val66Met polymorphism in the brain-derived neurotrophic factor (BDNF) gene. <i>Neurosci Letts</i> 487: 264-267, 2011.
Uesugi H, Sonoo M, Stalberg E, Higashihara M, Matsumoto K, Ugawa Y, Nagashima Y, Shimazu T, Saito H, Kanazawa I	"Clustering index method": A new technique for differentiation between neurogenic and myopathic changes using surface EMG. <i>Clin Neurophysiol</i> 122: 1032-1041, 2011
Matsumoto H, Hanajima R, Terao Y, Hamada M, Yugeta A, Shirota Y, Yuasa K, Sato F, Matsukawa T, Takahashi Y, Goto J, Tsuji S, Ugawa Y.	Efferent and afferent evoked potentials in patients with adrenomyeloneuropathy. <i>Clin Neurol Neurosurg.</i> 2010 Feb;112(2):131-6. Epub 2009 Dec 5.
Shirota Y, Hamada M, Terao Y, Matsumoto H, Ohminami S, Furubayashi T, Nakatani-Enomoto S, Ugawa Y, Hanajima R	Influence of short-interval intracortical inhibition on short-interval intracortical facilitation in human primary motor cortex. <i>J Neurophysiol</i> 104: 1382-1392, 2010
Higashihara M, Sonoo M, Tsuji S, Ugawa Y	Two-step technique to optimize the medial antebrachial cutaneous nerve response. <i>Clin Neurophysiol</i> 121: 712-713, 2010
Higashihara M, Sonoo M, Imafuku I, Ugawa Y, Tsuji S	Origin of ulnar compound muscle action potential investigated in patients with ulnar neuropathy at the wrist. <i>Muscle and Nerve</i> 41: 704-706, 2010
Shirota Y, Hamada M, Hanajima R, Terao Y, Matsumoto H, Ohminami S, Tsuji S, Ugawa Y	Cerebellar dysfunction in progressive supranuclear palsy: a transcranial magnetic stimulation study. <i>Mov Disord</i> 25:2413-2419, 2010
Matsumoto H, Hanajima R, Shirota Y, Hamada M, Terao Y, Ohminami S, Furubayashi T, Nakatani-Enomoto S, Ugawa Y	Cortico-conus motor conduction time (CCCT) for leg muscles. <i>Clin Neurophysiol.</i> 2010 Nov;121(11):1930-3
Hirose H, Sasaki A, Ishii N, Sekijima M, Iyama T, Nojima T, Ugawa Y	1950 MHz IMT-2000 field does not activate microglial cells in vitro. <i>Bioelectromagnetics</i> 31: 104-112, 2010

Rossi S, Hallett M, Rossini PM, Pascual-Leone A, the safety of TMS consensus Group	Safety, ethical considerations, and application guidelines for the use of transcranial magnetic stimulation in clinical practice and research. <i>Clin Neurophysiol</i> 120: 2008-2039, 2009
Okano T, Terao Y, Furubayashi T, Yugeta A, Hanajima R, Ugawa Y	The effect of electromagnetic field emitted by a mobile phone on the inhibitory control of saccades. <i>Clin Neurophysiol</i> 121: 603-611, 2010
Nakamura K, Kouider S, Makuuchi M, Kuroki C, Hanajima R, Ugawa Y, Ogawa S	Neural control of cross-laguage asymmetry in the bilingual brain. <i>Cereb Cortex</i> . 2010 Sep;20(9):2244-51.
Yugeta A, Terao Y, Fukuda H, Hikosaka O, Okiyama R, Yokochi F, Taniguchi M, Takahashi H, Hamada I, Hanajima R, Ugawa Y	Effects of STN stimulation on the initiation and inhibition of saccade in Parkinson's disease. <i>Neurology</i> 2010;74:743-748
Hanajima R, Terao Y, Nakatani-Enomoto S, Hamada M, Yugeta A, Matsumoto H, Yamamoto T, Tsuji S, Ugawa Y	Postural tremor in X-linked spinal and bulbar muscular atrophy. <i>Mov Disord</i> 24: 2063-2069, 2009
Namatame S, Mochizuki H, Ebitani M, Matsuda N, Ugawa Y	Micturitional disturbance due to bilateral medial frontal lobe lesions in a patient with multiple sclerosis. <i>Neurol Sci</i> . 2010 Apr;31(2):205-7
Matsumoto H, Hanajima R, Terao Y, Yugeta A, Hamada M, Shirota Y, Ohminami S, Nakatani-Enomoto S, Tsuji S, Ugawa Y	Prominent cauda equina involvement in patients with chronic inflammatory demyelinating polyradiculoneuropathy. <i>J Neurol Sci</i> . 2010 Mar 15;290(1-2):112-4.
Matusmoto L, Hanajima R, Matsumoto H, Ohminami S, Terao Y, Tsuji S, Ugawa Y	Supramaximal responses can be elicited in hand muscles by magnetic stimulation of the cervical roots. <i>Brain stimulation</i> 3: 153-160, 2010
Hirose M, Mochizuki H, Honma M, Kobayashi T, Nishizawa M, Ugawa Y	Apraxia of lid opening due to a small lesion in basal ganglia; two case reports. <i>J Neurol Neurosurg Psychiatry</i> . 2010 Dec;81(12):1406-7
Miyatake S, Mochizuki H, Nakata T, Ugawa Y, Tanabe H, Kusume D, Suzuki M, Ogata K, Kawai M	Brain volume analyses and somatosensory evoked potentials in multiple system atrophy. <i>J Neurol</i> 2010 Mar;257(3):419-25. Epub 2009 Sep 30
Ugawa Y	Can we see the cerebellar activation effect by TMS over the back of the head? (Editorial) <i>Clin Neurophysiol</i> 120: 2006-2007, 2009
Hamada M, Hanajima R, Terao Y, Okabe S, Nakatani-Enomoto S, Furubayashi T, Matsumoto H, Shirota Y, Ohminami S, Ugawa Y	Primary motor cortical metaplasticity induced by priming over the supplementary motor area. <i>J Physiol</i> 587: 4845-4862, 2009
Hamada M, Ugawa Y, Tsuji S, The Effectiveness of rTMS on Parkinson's Disease Study Group	High-frequency rTMS over the supplementary motor area improves bradykinesia in Parkinson's disease: sub-analysis of double-blind sham controlled study. <i>J Neurol Sci</i> 287: 143-146, 2009
Hanajima R, Terao Y, Hamada M, Okabe S, Nakatani-Enomoto S, Furubayashi T, Yugeta A, Inomata-Terada S, Ugawa Y	Forty-hertz triple-pulse stimulation induces motor cortical facilitation in humans. <i>Brain Res</i> 1296: 15-23, 2009

Hoshi A, Ebitani M, TnakaG, Shibano K, Matsuda N, Abe M, Ugawa Y	Amyloid myopathy with external ophthalmoparesis. J Neurol 256: 676-678, 2009
Nakatani-Enmoto S, Terao Y, Hanajima R, Matsuda S, Ohminami S, Inomata-Terada S, Matusmoto H, Yugeta A, Yamamoto T, Goto J, Yumoto M, Ugawa Y, Tusji S	Motor cortical epilepsia partialis continua in a patient with a localized sensory cortical lesion. Clin Neurol Neurosurg 111: 762-765, 2009
Arai N, Furubayashi T, Inomata-Terada S, Okabe S, Kobayashi-Iwata N, Hanajima R, TeraoY, Ugawa Y	Effects of high-frequency, low-intensity, biphasic conditioning trains of TMS pulses on the human motor cortex. Neurosci Letts 462: 188-192, 2009
H. Hirose ¹ , A. Sasaki ² , N. Ishii ¹ , M. Sekijima ¹ , T. Iyama ³ , T. Nojima ³ and Y. Ugawa	1950 MHz IMT-2000 Field Does Not Activate Microglial Cells in Vitro Bioelectromagnetics. 2010 Feb;31(2):104-12
Hartwig R. Siebner, MDa,b, Til O. Bergmann, MDb, Sven Bestmann, MDc,d, Marcello Massimini, MDe, Heidi Johansen-Berg, MDf,g, Hitoshi Mochizuki, MDh, Daryl E. Bohning, MDi,j, Erie D. Boorman, MDf, Sergiu Groppa, MDb, Carlo Miniussi, MDk,l, Alvaro Pascual-Leone, MDm, Reto Huber, MDn, Paul C. J. Taylor, MDo, Risto J. Ilmoniemi, MDp,q, Luigi De Gennaro, MDk,r, Antonio P. Strafella, MDs, Seppo Ka`hko`nen, MDp,t, Stefan Klo`ppel, MDu, Giovanni B. Frisoni, MDv, Mark S. George, MDi,w, Mark Hallett, MDx, Stephan A. Brandt, MDy, Matthew F. Rushworth, MDz, Ulf Ziemann, MDaa, John C. Rothwell, MDc, Nick Ward, MDc,d, Leonardo G. Cohen, MDbb, Ju`rgen Baudewig, MDcc, Toma´s´ Paus, MDdd,ee, Yoshikazu Ugawa, MDh, Paolo M. Rossini, MDff,gg,hh	Consensus paper: Combining transcranial stimulation with neuroimaging. Brain Stimulation (2009) 2, 58–80
Sugiura Y, Nakatsu F, Hiroyasu K, Ishii A, Hirose S, Kkada M, Jibiki I, Ohno H, Kneko S,, Ugawa Y	Lack of potassium current in W309R mutant KCNQ3 channel causing benign familial neonatal convulsions (BFNC) Epi Res 2009; 84: 82-85
Mizuno Y, Moriguchi Y, Hikage T, Terao Y, Ohnishi T, Nojima T, Ugawa Y	Effects of W-CDMA 1950 MHz EMF emitted by mobile phones on regional cerebral blood flow in humans. Bioelectromagnetics 30: 536-544, 2009
Matsumoto H, Hanajima R, Hamada M, Terao Y, Yugeta A, Inommata-Terada S, Nakatani-Enomoto S, Tsuji S, Ugawa Y	Double-pulse magnetic brainstem stimulation: mimicking successive descending volleys. J Neurophysiol 2008; 100: 3437-44
Furubayashi T, Ushiyama A, Terao Y, Mizuno Y, Shirasawa K, Pongpaibool P, Shimba A, Wake K, Nishikawa M, Miyawaki K, Yasuda A, Uchiyama M, Yamashiata HK, Masuda H, Hirota S, Takahashi M, Okano T, Inomara-Terada S, Sokejima S, Maruyama E, Watanabe S, Taki M, Ohkubo C, Ugawa Y	Effects of Short-term W-CDMA mobile phone base station exposure on women with or without mobile phone related symptoms. Bioelectromagnetics 30: 100-113, 2009
Huang YZ , Sommer M, Thickbroom G, Hamada M, Pascual Leonne A, Paulus W, Classen J, Peterchev AV, Zangen A, Ugawa Y	Consensus: New methodologies for brain stimulation. Brain stimulation 2: 2-13, 2009
Nakatani-Enmoto S, Bndoh M, Kita Y, Yamanouchi H, Enomoto H, Kimura T, Hashimoto K, Yahara O, Ugawa Y	Paired stimulation study of the median nerve sensory action potential in diabetic patients. Acta Neurol Scand 118: 94-98, 2008

Mochizuki H, Okahashi S, Ugawa Y, Tamura T, Suzuki M, Miyatake S, Shigeyama T, Ogata K, Kawai M	Heart rate variability and hypercapnia in Duchenne muscular dystrophy. <i>Int Med</i> 2008; 47: 1893-1897
Hamada M, Terao Y, Hanajima R, Shiota Y, Nakatani-Enomoto S, Furubayashi T, Matsumoto H, Ugawa Y	Bidirectional long-term motor cortical plasticity and metaplasticity induced by quadripulse transcranial magnetic stimulation. <i>J Physiol</i> 2008 586: 3927-3947
Hamad M, Ugawa Y, Tsuji S, and The Effectiveness of rTMS on Parkinson's Disease Study Group, Japan	High-frequency rTMS over the supplementary motor area for treatment of Parkinson's disease. <i>Mov Disord</i> 23: 1524-1531, 2008
Chen R, Cros D, Curra A, Di Lazzaro V, Lefaucheur JP, Magistris MR, Mills K, Rösler KM, Triggs WJ, Ugawa Y, Ziemann U.	The clinical diagnostic utility of transcranial magnetic stimulation: Report of an IFCN committee. <i>Clin Neurophysiol.</i> 2008 Mar;119(3):504-32
Sugiura Y, Hoshi A, Matsumura Y, Yamamoto T, Ugawa Y	A case of bilateral parietal cortical laminar necrosis with a loss of vertiginous sensation. <i>Acta Neurol Scand</i> 118: 132-135, 2008
Hanajima R, Okabe S, Terao Y, Furubayashi T, Inomata-Terada S, Hamada M, Yugeta A, Ugawa Y	Difference in intracortical inhibition of the motor cortex between cortical myoclonus and focal hand dystonia. <i>Clin Neurophysiol</i> 119: 1400-1407, 2008
Arai N, Yokochi F, Ohnishi T, Momose T, Okiyama R, Taniguchi M, Takahashi H, Matsuda H, Ugawa Y	Mechanisms of unilateral STN-DBS in patients with Parkinson's disease: APET study. <i>J Neurol</i> (2008) 255: 1236-43
Matsumoto H, Octaviana F, Terao Y, Hanajima R, Yugeta A, Hamada M, Inomata-Terada S, Nakatani-Enomoto S, Tsuji S, Ugawa Y.	Magnetic stimulation of the cauda equina in the spinal canal with a flat, large round coil. <i>J Neurol Sci</i> 2009 Sep 15;284(1-2):46-51
Robert Chen, Didier Cros , Antonio Curra , Vincenzo Di Lazzaro , Jean-Pascal Lefaucheur , Michel R. Magistris f Kerry Mills , Kai M. Rösler , William J. Triggs , Yoshikazu Ugawa , Ulf Ziemann	The clinical diagnostic utility of transcranial magnetic stimulation: Report of an IFCN committee <i>Clin Neuropsychol</i> 199:504-532, 2008
Furubayashi T, Terao Y, Arai N, Okabe S, Mochizuki H, Hanajima R, Hamada M, Yugeta A, Inomata-Terada S, Ugawa Y	Short and long duration transcranial direct current stimulation (tDCS) over the human hand motor area. <i>Exp Brain Res</i> 185: 279-286, 2008
Hamada M, Hanajima R, Terao Y, Arai N, Furubayashi T, Inomata-Terada S, Yugeta A, Matsumoto H, Shiroata Y, Ugawa Y	Quadro-pulse stimulation is more effective than paired pulse stimulation for plasticity induction of the human motor cortex. <i>Clin Neurophysiol</i> 118: 2672-2682, 2007
Iwata NK, Aoki S, Okabe S, Arai N, Terao Y, Kwak S, Abe O, Kanazawa I, Tsuji S, Ugawa Y,	Evaluation of corticospinal tracts in ALS with diffusion tensor MRI and brainstem stimulation. <i>Neurology</i> 70: 528-532, 2008
Sakurai Y, Onuma Y, Nakazawa G, Ugawa Y, Momose T, Tsuji S, Mannenn T	Parietal dysgraphia: Characterization of abnormal writing stroke sequences, character formation and character recall. <i>Behav Neurol</i> 18: 99-114, 2007
Arai N, Okabe S, Furubayashi T, Mochizuki H, Iwata NK, Hanajima R, Terao Y, Yuasa K, Ugawa Y	Differences in after-effect between monophasic and biphasic high-frequency rTMS of the human motor cortex. <i>Clin Neurophysiol</i> 118: 2227-2233, 2007

Hanajima R, Wang R, Nakatani-Enomoto S, Hamada M, Terao Y, Furubayashi T, Okabe S, Inomata-Terada S, Yugeta A, Rothwell JC, Ugawa Y	Comparison of different methods for estimating motor threshold with transcranial magnetic stimulation. Clin Neurophysiol 118: 2120-2122, 2007
Matsumoto L, Ymamoto T, Higashihara M, Sugimoto I, Kowa H, Shibahara J, Nakamura K, Shimizu J, Ugawa Y, Goto J, Dalmau J, Tsuji S	Severe hypokinesia caused by paraneoplastic anti-Ma 2 encephalitis associated with bilateral intratubular germ-cell neoplasm of the testis. Mov Disord 22: 728-731, 2007
Terao Y, Okano T, Furubayashi T, Yugeta A, Fukuda H, Ugawa Y	EFFECTS OF THIRTY-MINUTE MOBILE PHONE EXPOSURE ON SACCADES Clin Neurophysiol 118: 1545-1556, 2007
Hamada M, Hanajima R, Terao Y, Arai N, Furubayashi T, Inomata-Terada S, Yugeta A, Matsumoto H, Shiroata Y, Ugawa Y	Origin of facilitation in repetitive, 1.5 ms interval, paired pulse transcranial magnetic stimulation (rPPS) of the human motor cortex Clin Neurophysiol 118: 1596-1601, 2007
Kitagawa M, Murata J, Uesugi H, Hanajima R, Ugawa Y	Characteristics and distribution of somatosensory evoked potentials in the subthalamic region. J Neurosurg 107: 548-554, 2007
Terao Y, Furubayashi T, Okabe S, Mochizuki H, Arai N, Kobayashi S, Ugawa Y	Modifying the cortical processing for motor preparation by repetitive transcranial magnetic stimulation. J Cognitive Neurosci 19: 1556-1573, 2007
Mochizuki H, Furubayashi T, Hanajima R, Terao Y, Okabe S, Ugawa Y	Hemoglobin concentration changes in the contralateral hemisphere during and after theta burst stimulation of the human motor cortices Exp Brain Res 180: 667-675, 2007
Inomata-Terada S, Okabe S, Arai N, Hanajima R, Terao Y, Furubayashi T, Ugawa Y	Effects of high frequency electromagnetic field (EMF) emitted by mobile phones on the human motor cortex. Bioelectromagnetics 28: 553-561, 2007
Hamada M, Hanajima R, Terao Y, Sato F, Okano T, Yuasa K, Furubayashi T, Okabe S, Arai N, Ugawa Y	Median nerve somatosensory evoked potentials and their high-frequency oscillations in amyotrophic lateral sclerosis. Clin Neurophysiol 118: 877-886, 2007
Hanajima R, Nomura Y, Segawa M, Ugawa Y	Intracortical inhibition of the motor cortex in Segawa's disease (DYT5). Neurology 68: 1039-1044, 2007
Nakamura K, Hara N, Kouder S, Takayama Y, Sakai K, Ugawa Y	Task-guided selection of the dual neural pathways for reading Neuron 52: 557-564, 2006
Terao Y, Ugawa Y, Yamamoto T, Sakurai Y, Matsumoto T, Abe O, Mtsutani Y, Aoki S, Tsuji S	Primary face motor area as the motor representation of articulation. J Neurol 254: 442-447, 2007
Terao Y, Okano T, Furubayashi T, Ugawa Y	Effects of thirty-minute mobile phone use on visuo-motor reaction time. Clin Neurophysiol 117: 2504-2511, 2006
Ohnishi T, Mtsuda H, Hirakata M, Ugawa Y	Navigation ability dependent neural activation in the human brain: An fMRI study. Neurosci Res 55: 361-369, 2006

Mitsui J, Saito Y, Momose Y, Shimizu J, Arai N, Shibahara J, Ugawa Y, Kanazawa I, Tsuji S, Murayama S	Pathology of the sympathetic nervous system corresponding to the decreased cardiac uptake in ¹²³ I-metaiodobenzylguanidine (MIBG) scintigraphy in a patient with Parkinson disease. J Neurol Sci 243: 101-104, 2006
Fujisaki G, Kami M, Murashige N, Kishi Y, Hori A, Chizuka A, Ugawa Y, Kobayashi K, Tanosaki R	Guillai-Barre syndrome associated with rapid immune recostitution following allogenic hematopoietic stem cell transplantation. Bone Marrow Transplantation 2006, 1-3
Yuasa K, Arai N, Okabe S, Tarusawa Y, Nojima T, Hanajima R, Terao Y, Ugawa Y	Effects of thirty minutes mobile phone use on the human sensory cortex. Clin Neurophysiol 117(4):900-905, 2006
Mochizuki H, Ugawa Y	High-frequency oscillations in somatosensory system. Clin EEG Neurosci 36: 278-284, 2005
Mochizuki H, Ugawa Y, Terao Y, Sakai K	Cortical hemoglobin concentration changes under the coil induced by single-pulse TMS in humans. A simultaneous recording with near-infrared-spectroscopy. Exp Brain Res 169: 302-310, 2006
Terao Y, Mizuno T, Shindoh M, Sakurai Y, Ugawa Y, Kobayashi S, Nagai C, Furubayashi T, Arai N, Okabe S, Mochizuki H, Hanajima R, Tsuji S	Vocal amusia in a professional tango singer due to a right superior temporal cortex infarction. Neuropsychologia 44(3):479-488, 2006
Sakuishi K, Hanajima R, Kanazawa I, Ugawa Y	Periodic Motor Cortical Excitability Changes associated with PSDs of EEG in Creutzfeldt-Jakob (CJD) disease. Clin Neurophysiol 116: 1222-1226, 2005
Sugawara K, Furubayashi T, Takahashi M, Ni Z, Ugawa Y, Kasai T	Remote effects of voluntary teeth clenching on excitability changes of the human motor area. Neurosci Letts 377: 25-30, 2005
Iwata NK, Aoki S, Masutani Y, Yoshida M, Okabe S, Arai N, Terao Y, Kwak S, Tsuji S, Ugawa Y,	Corticospinal tract and corticobulbar tract dysfunction in ALS -Combined study using transcranial magnetic stimulation (TMS)and diffusion tensor tractography (DTT) International congress series 1278; 181-184, 2005
Terao Y, Furubayashi T, Okabe S, Arai N, Mochizuki H, Kobayashi S, Yumoto M, Nishikawa M, Iwata NK, <u>Ugawa Y</u>	Interhemispheric transmission of visuomotor information for motor implementation. Cereb Cortex 15: 1025-1036, 2005
Aoki S, Iwata NK, Masutani, Yoshida M, Abe O, Ugawa Y, Masumoto T, Mori H, Hayashi N, Kabasawa H, Kwak S, Takahashi S, Tsuji S, Ohtomo K	Quantitative evaluation of the pyramidal tract segmented by diffusion tensor tractography: feasibility of the patients with amyotrophic lateral sclerosis. Rad Med 23: 195-199, 2005
Arai N, Okabe S, Furubayashi T, Terao Y, Yuasa K, Ugawa Y	Comparison between short train, monophasic and biphasic repetitive transcranial magnetic stimulation (rTMS) of the human motor cortex Clin Neurophysiol 116: 605-613, 2005

Ohnishi T, Matsuda H, Imabayashi E, Okabe S, Tkano H, Arai T, Ugawa Y	rCBF changes elicited by rTMS over DLPFC in humans. <i>Advances in Clinical Neurophysiology (suppl to Clin Neurophysiol vol 57)</i> 2004;57:715-20
Mochizuki H, Masaki T, Matsushita S, Ugawa Y, Kamakura K, Arai H, Motoyoshi K, Higuchi. S.	Cognitive impairment and diffuse white matter atrophy in alcoholics. <i>Clin Neurophysiol</i> 116: 223-228, 2005
Iwata NK, Hanajima R, Furubayashi T, Terao Y, Uesugi H, Shiio Y, Enomoto H, Mochizuki H, Kanazawa I, Ugawa Y	Facilitatory effect on the motor cortex by electrical stimulation over the cerebellum in humans <i>Exp Brain Res</i> 159: 418-424, 2004
Hayashi T, Ohnishi T, Okabe S, Teramoto N, Nonaka Y, Watabe H Imabayashi E, Oht Y, Jino H, Ejima N, Sawada T, Iida H, Matsuda H, Ugawa Y	Long-term effect of motor cortical repetitive transcranial magnetic stimulation. <i>Ann Neurol</i> 56: 77-85, 2004
Mochizuki H, Terao Y, Okabe S, Furubayashi T, Arai N, Iwata NK, Hanajima R, Kamakura K, Motoyoshi K, Ugawa Y	Effects of motor cortical stimulation on the excitability of contralateral motor and sensory cortices. <i>Exp Brain Res</i> 158: 519-526, 2004
Tamura Y, Hoshiyama M, Inui K, Nakata H, Qiu Y, Ugawa Y, Inoue K, Kakigi R	Facilitation of A δ -fiber-mediated acute pain by repetitive transcranial magnetic stimulation. <i>Neurology</i> 62: 2176-2181, 2004
Ohnishi T, Hayashi T, Okabe S, Nonaka I, Matsuda H, Iida H, Imabayashi E, Watabe H, Miyake Y, Ogawa M, Teramoto N, Ohta Y, Ejima N, Sawada T, Ugawa Y	Endogenous dopamine release induced by repetitive transcranial magnetic stimulation over the primary motor cortex : An [11C] raclopride PET study in anesthetized macaque monkeys. <i>Biol Psychiat</i> 55: 484-489, 2004
Tamura Y, Okabe S, Arai N, Inoue K, Ugawa Y	Effects of 1-Hz repetitive transcranial magnetic stimulation on acute pain induced by capsaicin <i>Pain</i> 107: 107-115, 2004
Higo R, Tayama N, Watanabe T, Nitou T, Ugawa Y	Videofluoroscopic and manometric evaluation of swallowing function in patients with mutiple system atrophy. <i>Ann Otol Rhinol Laryngol</i> 112: 630-636, 2003
Ugawa Y, Hanajima R, Terao Y, Kanazawa I	Exaggerated 16-20 Hz motor cortical oscillation in patients with positive or negative myoclonus. <i>Clin Neurophysiol</i> 114: 1278-1284, 2003
Arai N, Enomot H, Okabe S, Yuasa K, Kamimura Y, Ugawa Y	Thirty minutes mobile phone use has no short-term adverse effects on central auditory pathways. <i>Clin Neurophysiol</i> 114: 1390-1394, 2003

Mochizuki H, Ugawa Y, Machii K, Terao Y, Hanajima R, Enomoto H, Furubayashi T, Uesugi H, Shiio Y, Kamakura K, Kanazawa I	Recovery function of and effects of hyperventilation on somatosensory evoked high-frequency oscillation in Parkinson disease and myoclonus epilepsy. <i>Neurosci Res</i> 46: 485-492, 2003
Hanajima R, Furubayashi T, Iwata NK, Shiio Y, Okabe S, Kanazawa I, Ugawa Y	Further evidence to support different mechanisms underlying intracortical inhibition of the motor cortex. <i>Exp Brain Res</i> 151: 427-434, 2003
Terao Y, Ugawa Y	Basic mechanisms of TMS. <i>J Clin Neurophysiol.</i> ;19(4):322-343, 2002
Okabe S, Hanajima R, Ohnishi T, Nishikawa M, Imabayashi E, Takano H, Kawachi T, Shiio Y, Iwata NK, Furubayashi T, Terao Y, Ugawa Y	Functional connectivity revealed by single-photon emission computed tomography (SPECT) during repetitive transcranial magnetic stimulation (rTMS) of the motor cortex. <i>Clin Neurophysiol</i> 114: 450-457, 2003
Machii K, Ugawa Y, Kokubo Y, Sasaki R, Kuzuhara S	Somatosensory evoked potential recovery in Kii amyotrophic lateral sclerosis/parkinson-dementia complex (Kii ALS/PDC) <i>Clin Neurophysiol</i> 114: 564-568, 2003
Furubayashi T, Sugawara K, Kasai T, Hayashi A, Hanajima R, Shiio Y, Iwata NK, Ugawa Y	Remote effects of self-paced teeth clenching on the excitability of hand motor area. <i>Exp Brain Res</i> , 148(2):261-265, 2003
Okabe S, Ugawa Y, Kanazawa I and the group to study effectiveness of rTMS on Parkinson disease	0.2 Hz repetitive transcranial magnetic stimulation (rTMS) has no add-on effects as compared with a realistic sham stimulation in Parkinson disease (PD). <i>Mov Disord</i> 18: 382-388, 2003
Fujishiro T, Takahashi S, Enomoto H, Ugawa Y, Ueno S, Kitamura T	Magnetic stimulation of the sacral roots for the treatment of urinary frequency and urge incontinence: an investigational study and placebo controlled trial. <i>J Urol</i> 168: 1036-1039, 2002
Hanajima R, Ugawa Y, Terao Y, Enomoto H, Shiio Y, Mochizuki H, Furubayashi T, Uesugi H, Iwata NK, Kanazawa I	Mechanisms of intracortical I-wave facilitation elicited by paired-pulse magnetic stimulation in humans. <i>J Physiol</i> 538: 253-261, 2002
Enomoto H, Ugawa Y, Hanajima R, Yuasa K, Mochizuki H, Terao Y, Shiio Y, Furubayashi T, Iwata NK, Kanazawa I	Decreased sensory cortical excitability after 1 Hz rTMS over the ipsilateral primary motor cortex. <i>Clin Neurophysiol</i> 112: 2154-2158, 2001
Mochizuki H, Hanajima R, Kowa H, Motoyoshi M, Ashida H, Katakura K, Motoyoshi K, Ugawa Y	Somatosensory evoked potential recovery in myotonic dystrophy. <i>Clin Neurophysiol</i> 112: 793-799, 2001
Hanajima R, Ugawa Y, Okabe S, Yuasa K, Shiio Y, Iwata NK, Kanazawa I	Interhemispheric interaction between the hand motor areas in patients with cortical myoclonus. <i>Clin Neurophysiol</i> 112: 623-626, 2001
Terao Y, Ugawa Y, Hanajima R, Machii K, Furubayashi T, Mochizuki H, Enomoto H, Shiio Y, Uesugi H, Iwata NK, Kanazawa I	A single motor unit recording technique for studying the differential activation of corticospinal volleys by transcranial magnetic stimulation. <i>Brain Res</i>

	Protocols7: 61-67, 2001
Hanajima R, Ugawa Y, Machii K, Mochizuki H, Terao Y, Enomoto H, Furubayashi T, Shiio Y, Uesugi H, Kanazawa I	Interhemispheric facilitation of the human motor area in humans. <i>J Physiol</i> 531: 849-859, 2001
Terao Y, Ugawa Y, Enomoto H, Furubayashi T, Shiio Y, Machii K, Hanajima R, Nishikawa M., Iwata NK, Saito Y, Kanazawa I	Hemispheric lateralization in the cortical motor preparation for human vocalization. <i>J Neurosci</i> 21: 1600-1609, 2001
Fujishiro T, Enomoto H, Ugawa Y, Takahashi S, Ueno S, Kitamura T	Magnetic stimulation of the sacral roots for the treatment of stress incontinence: an investigational study and a placebo-controlled trial. <i>J Urol</i> 164: 1277- 1279, 2000
Terao Y, Ugawa Y, Hanajima R, Machii K, Furubayashi T, Mochizuki H, Enomoto H, Shiio Y, Uesugi H, Iwata NK, Kanazawa I	Predominant activation of I1-waves from the leg motor area by transcranial magnetic stimulation. <i>Brain Res</i> 859: 137-146, 2000
Abbruzzese G, Marchese R, Trompetto C replied by Hanajima R, Ugawa Y	Motor cortical excitability in Huntington's disease. <i>J Neurol Neurosurg Psychiatry</i> 68: 120-121, 2000
Hanajima R, Ugawa Y	Intracortical inhibition of the motor cortex in movement disorders. <i>Brain Dev</i> 22: S132-S135, 2000
Furubayashi T, Ugawa Y, Terao Y, Hanajima R, Sakai K, Machii K, Mochizuki H, Shiio Y, Uesugi H, Enomoto H, Kanazawa I	The human hand motor area is transiently suppressed by an auditory stimulus. <i>Clin Neurophysiol</i> 111: 178-183, 2000
Terao Y, Ugawa Y, Hanajima R, Furubayashi T, Machii K, Enomoto H, Shiio Y, Mochizuki H, Uesugi H, Uesaka Y, Kanazawa I	Air-puff induced facilitation of motor cortical excitability studied in patients with discrete brain lesions. <i>Brain</i> 122: 2259- 2277,1999
Ugawa Y, Kanazawa I	Motor evoked potentials: unusual findings. <i>Clin Neurophysiol</i> 110: 1641-1645, 1999
Machii K, Ugawa Y, Terao Y, Hanajima R, Furubayashi T, Mochizuki H, Shiio Y, Enomoto H, Uesugi H, Kuzuhara S, Kanazawa I	Input-output organization of the foot motor area in humans. <i>Clin Neurophysiol</i> 110: 1315-1320, 1999
Mochizuki H, Ugawa Y, Machii K, Terao Y, Hanajima R, Furubayashi T, Uesugi H, Shiio Y, Enomoto H, Kamakura K, Kanazawa I	Somatosensory evoked high-frequency oscillation in movement disorders. Evoked potentials and Magnetic Fields (EEG suppl. 49): 90-94, 1999
Hanajima R, Ugawa Y, Terao Y, Furubayashi T, Machii K, Shiio Y, Enomoto H, Uesugi H, Mochizuki H, Kanazawa I	Intracortical inhibition is normal in chorea. <i>J Neurol Neurosurg Psychiatry</i> 66: 783-786,1999
Mochizuki H, Ugawa Y, Machii K, Terao Y, Hanajima R, Furubayashi T, Uesugi H, Kanazawa I	Somatosensory evoked high-frequency oscillation in Parkinson's disease and myoclonus epilepsy. <i>Clin Neurophysiol</i> 110: 185-191, 1999

Hanajima R, Ugawa Y	Impaired motor cortex inhibition in patients with amyotrophic lateral sclerosis. Evidence from paired transcranial magnetic stimulation. <i>Neurology</i> 51: 1771-1772, 1998
Hanajima R, Ugawa Y, Terao Y, Sakai K, Furubayashi T, Machii K, Uesugi H, Mochizuki H, Kanazawa I	Cortico-cortical inhibition of the motor cortical area projecting to sternocleidomastoid muscle in normals and patients with spasmodic torticollis or essential tremor. <i>Electroenceph Clin Neurophysiol</i> 109: 391-396, 1998
Terao Y, Ugawa Y, Sakai K, Miyauchi S, Fukuda H, Sasaki Y, Takino R, Hanajima R, Furubayashi T, Putz B, Kanazawa I	Localizing the site of magnetic brain stimulation by functional MRI. <i>Exp Brain Res</i> 121: 145-152, 1998
Terao Y, Fukuda H, Ugawa Y, Hikosaka O, Hanajima R, Furubayashi T, Sakai K, Miyauchi S, Sasaki Y, Kanazawa I	Visualisation of the information flow through human oculomotor cortical regions by magnetic stimulation. <i>J Neurophysiol</i> 80: 936-946, 1998
Hanajima R, Ugawa Y, Terao Y, Sakai K, Furubayashi T, Machii K, Kanazawa I	Paired-pulse magnetic stimulation of the motor cortex: differences among I waves. <i>J Physiol</i> 509: 607-618, 1998
Ugawa Y, Terao Y, Hanajima R, Sakai K, Furubayashi T, Machii K, Kanazawa I	Magnetic stimulation over the cerebellum in patients with ataxia. <i>Electroenceph Clin Neurophysiol</i> 104: 453-458, 1997
Ugawa Y	Subcortical reflex myoclonus? <i>Arch Neurol</i> 54:1323-1324, 1997
Terao Y, Ugawa Y, Suzuki M, Sakai K, Hanajima R, Genba-Shimizu K, Kanazawa I	Shortening of the simple reaction time by peripheral electrical and sub-motor-threshold magnetic stimulation. <i>Exp Brain Res</i> 115: 541-545, 1997
Sakai K, Ugawa Y, Terao Y, Hanajima R, Furubayashi T, Kanazawa I	Preferential activation of different I waves by transcranial magnetic stimulation with a figure-of-eight-shaped coil. <i>Exp Brain Res</i> 113: 24-32, 1997
Ugawa Y, Uesaka Y, Terao Y, Hanajima R, Kanazawa I	Magnetic stimulation of the descending and ascending tracts at the foramen magnum level. <i>Electroenceph Clin Neurophysiol</i> , 105: 128-131, 1997
Uesaka Y, Terao Y, Ugawa Y, Yumoto M, Hanajima R, Kanazawa I	Magnetoencephalographic analysis of cortical myoclonic jerks. <i>Electroenceph Clin Neurophysiol</i> , 99: 141-148, 1996
Kusunoki S, Shimizu J, Chiba A, Ugawa Y, Hitoshi S, Kanazawa I	Experimental sensory neuropathy induced by sensitization with ganglioside GD1b. <i>Ann Neurol</i> 39: 424-431, 1996
Hanajima R, Ugawa Y, Terao Y, Ogata K, Kanazawa I	Ipsilateral cortico-cortical inhibition of the motor cortex in various neurological disorders. <i>J Neurol Sci</i> 140: 109-116, 1996

Ugawa Y, Uesaka Y, Terao Y, Suzuki M, Sakai K, Hanajima R, Kanazawa I	Clinical utility of magnetic corticospinal tract stimulation at the foramen magnum level. <i>Electroenceph Clin Neurophysiol</i> 101: 247-254, 1996
Ugawa Y, Genba-Shimizu K, Kanazawa I	Somatosensory evoked potential recovery (SEP-R) in various neurological disorders. <i>Electroenceph Clin Neurophysiol</i> 100: 62-67, 1996
Ugawa Y, Terao Y, Hanajima R, Sakai K, Kanazawa I	Facilitatory effect of tonic voluntary contraction on responses to motor cortex stimulation. <i>Electroenceph Clin Neurophysiol</i> 97: 451-454, 1995
Terao Y, Ugawa Y, Uesaka Y, Hanajima R, Genba-Shimizu K Ohki Y, Kanazawa I	Input-output organization in the hand area of human motor cortex. <i>Electroenceph Clin Neurophysiol</i> 97: 375-381, 1995
Ugawa Y, Uesaka Y, Terao Y, Hanajima R, Kanazawa I	Magnetic stimulation over the cerebellum in humans. <i>Ann Neurol</i> 37: 703-713, 1995
Ugawa Y, Terao Y, Nagai C, Nakamura K, Kanazawa I	Electrical stimulation over the cerebellum normally suppress motor cortical excitability in a patient with ataxia due to a lesion of the middle cerebellar peduncle. <i>Eur Neurol</i> 35: 243-244, 1995
Ugawa Y, Genba-Shimizu K, Kanazawa I	Electrical stimulation of the human descending motor tracts at several levels. <i>Can J Neurol Sci</i> 22: 36-42, 1995
Ugawa Y	Negative myoclonus. <i>Neurology</i> 44: 989, 1994
Ugawa Y, Genba-Shimizu, Kanazawa I	Suppression of motor cortical excitability by electrical stimulation over the cerebellum in Fisher's syndrome. <i>J Neurol Neurosurg Psychiatry</i> 57:1275-1276, 1994
Ugawa Y, Uesaka Y, Terao Y, Hanajima R, Kanazawa I	Magnetic stimulation of corticospinal pathways at the foramen magnum level in humans. <i>Ann Neurol</i> 36: 618-624, 1994
Ugawa Y, Hanajima R, Kanazawa I	Motor cortex inhibition in patients with ataxia. <i>Electroenceph Clin Neurophysiol</i> 93: 225-229, 1994
Ugawa Y, Genba-Shimizu K, Rothwell JC, Iwata M, Kanazawa I	Suppression of motor cortical excitability by electrical stimulation over the cerebellum in ataxia. <i>Ann Neurol</i> 36:90-96, 1994
Terao Y, Ugawa Y, Sakai K, Uesaka Y, Kohara N, Kanazawa I	Transcranial stimulation of the leg area of the motor cortex in humans. <i>Acta Neurol Scand</i> 89: 378-383, 1994
Ohki Y, Suzuki T, Ugawa Y, Uesaka Y, Sakai K, Kanazawa I	Excitation of the motor cortex associated with the E2 phase of cutaneous reflexes in man. <i>Brain Res</i> 633: 343-347, 1994

Uesaka Y, Ugawa Y, Yumoto M, Sakuta M, Kanazawa I	Giant somatosensory evoked magnetic field in patients with myoclonus epilepsy. <i>Electroenceph Clin Neurophysiol</i> 87: 300-305, 1993
Okutsu I, Hamanaka I, Ninomiya S, Takatori Y, Shimizu K, Ugawa Y	Results of endoscopic management of carpal-tunnel syndrome in long-term haemodialysis versus idiopathic patients. <i>Nephrol Dial Transplant</i> 8: 1110-1114, 1993
Ugawa Y, Hanajima R, Kanazawa I	Interhemispheric facilitation of the hand area of the human motor cortex. <i>Neurosci Letts</i> 160: 153-155, 1993
Genba K, Ugawa Y, Kanazawa I, Okutsu I, Hamanaka I	Physiological assessment of endoscopic surgery for carpal tunnel syndrome. <i>Muscle & Nerve</i> 16: 567-568, 1993
Sakai K, Ugawa Y, Genba K, Mannen T, Kanazawa I	The interval between the positive peak of premyoclonus spike and the onset of myoclonus is shorter than the cortical latency in cortical myoclonus. <i>Eur Neurol</i> 33(1): 83-89, 1993
Ugawa Y, Genba K, Mannen T, Kanazawa I	Stimulation of corticospinal pathways at the level of the pyramidal decussation in neurological disorders. <i>Brain</i> 115: 1947-1961, 1992
Ugawa Y, Day BL, Rothwell JC, Thompson PD, Merton PA, Marsden CD	Modulation of motor cortical excitability by electrical stimulation over the cerebellum in man. <i>J Physiol</i> 441: 57-72, 1991
Ugawa Y, Genba K, Shimpo T, Mannen T	Somatosensory evoked potential recovery (SEP-R) in myoclonic patients. <i>Electroenceph Clin Neurophysiol</i> 80: 21-25, 1991
Ugawa Y, Rothwell JC, Day BL, Thompson PD, Marsden CD	Percutaneous electrical stimulation of corticospinal pathways at the level of the pyramidal decussation in humans. <i>Ann Neurol</i> 29: 418-427, 1991
Ugawa Y, Genba K, Shimpo T, Mannen T	Onset and Offset of electromyographic (EMG) silence in asterixis. <i>J Neurol Neurosurg Psychiatry</i> 53: 260-262, 1990
Ugawa Y, Kohara N, Shimpo T, Mannen T	Magneto-electrical Stimulation of central motor pathways Compared with percutaneous electrical stimulation. <i>Eur Neurol</i> 30: 14-18, 1990
Ugawa Y, Rothwell JC, Day BL, Thompson PD, Marsden CD	Magnetic stimulation over the spinal enlargements. <i>J Neurol Neurosurg Psychiatry</i> 52(9): 1025-1032, 1989
Okutsu I, Ninomiya S, Takatori Y, Ugawa Y	Endoscopic management of carpal tunnel syndrome. <i>J Arthroscopic and Related Surgery</i> 5(1): 11-18, 1989
Ugawa Y, Genba K, Shimpo T, Mannen T	Physiologic analysis of central motor pathways-Simultaneous recording from multiple relaxed muscles. <i>Eur Neurol</i> 29: 135-140, 1989

Ugawa Y, Shimpo T, Mannen T	Physiological analysis of asterixis -Silent period locked averaging (SPLA) J Neurol Neurosurg Psychiatry 52(1): 89-93, 1989
Kunimoto M, Ugawa Y, Inoue K, Iwata M, Mannen T	Evaluation of the vasoconstrictor function in the finger tip by cold water immersion test. Autonomic Nerv System 25: 15-23, 1988
Ugawa Y, Shimpo T, Mannen T	Central motor conduction in cerebrovascular disease and motor neuron disease. Acta Neurol Scand 78: 297-306, 1988
Ugawa Y, Kohara N, Shimpo T, Mannen T	Central motor and sensory conduction in adrenomyeloneuropathy, cerebrotendinous xantomatosis, HTLV-1 associated myelopathy and tabes dorsalis. J Neurol Neurosurg Psychiatry 51: 1069-1074, 1988
Shimpo T, Ugawa Y, Mannen T	Motor axon loop as a source of error in the measurement of motor nerve conduction velocity. J Neurol Neurosurg Psychiatry 51: 11: 1462-1463, 1988
Ugawa Y, Sakuta M, Okutsu I, Kuroshima N, Ninomiya S	Free functional musculocutaneous transfer: Electrophysiological studies. Eur Neurol 28(5): 241-245, 1988
Ugawa Y, Kohara N, Hirasawa H, Kuzuhara S, Iwata M, Mannen T	Myoclonus in Alzheimer's disease. J Neurol 235: 90-94, 1987
Bando M, Ugawa Y, Sugishita M	Mechanism of repetition in transcortical sensory aphasia. J Neurol Neurosurg Psychiatry 49: 200-202, 1986
Ugawa Y, Inoue K, Takemura T, Iwamasa T	Accumulation of Glycogen in Sural Nerve Axons in Adult-Onset Type III Glycogenosis. Ann Neurol 19: 294-297, 1986
Terao Y, Ugawa Y, Hanajima R, Yumoto M, Kawahara Y, Yamamoto T, Shirouzu I, Kanazawa I.	Motor cortical reflex myoclonus: a case study with MEG. Electroencephalogr Clin Neurophysiol. 1997 Jun;102(6):505-11.